

*NGHB Maintenance




* Customers can put some grease on pivot points (red circle place), with brass or gunmetal bushings.




* Let's maintain your machine!

NGHB.5 HARDWARE
(shown in actual size)


A[1PCS]




B[1PCS]



C[1PCS]




D[1PCS]



E[2PCS]




F[1PCS]



J[1PCS]
8311-157



G[1PCS]



K[1PCS]
8312-211



H[1PCS]
8388-025




M[2PCS]
9131-061



N[4PCS]
9161-076




L[1PCS]
8360-187




NGHB.5 H A R D W A R E (shown in actual size)


D1.RUBBER INSERT (9310-076).....	[4PCS]
D2.END CAP (9211-016).....	[4PCS]
D3.50X100 END CAP (9211-193).....	[3PCS]
D4.WATER BOTTLE HOLDER (9260-086).....	[1PCS]
D6.NYLON BUSHING (9211-033).....	[2PCS]
D7.END CAP (9211-087).....	[2PCS]
D8.NYLON WASHER (9214-008).....	[4PCS]
D9.END COVER (9211-157).....	[4PCS]
D10.SHAFT (8280-040).....	[2PCS]pre-installed
D11.SEALED BEARING (8510-017).....	[4PCS]pre-installed
D12.RUBBER STOPPER (9214-010).....	[1PCS]pre-installed
D13.IMPREGNATED TED WITH HANDLE(9162-172)[2PCS]pre-installed	
D14.CHROME COLLAR (8890-061).....	[4PCS]pre-installed
D15.RUBBER STOPPER (9310-018).....	[1PCS]pre-installed
D16.IMPREGNATED TED WITH HANDLE(9162-173)[2PCS]pre-installed	




Above shows STEP 1
assembled and completed




Above shows STEP 2
assembled and completed



Above shows STEP 3
assembled and completed



NGHB.5



*Well done!

